

JOHNSON WATER DISTRICT
R.R. 3 BOX 3188
ROOSEVELT, UT 84066
TELEPHONE (801) 722-2620


March 4, 1996

TO WHOM IT MAY CONCERN:

Inland Production Company has purchased a 3 inch water connection with Johnson Water District to supply Monument Butte oilfield.

Johnson Water District has given permission to Inland Production Company to use water from our system for the purpose of drilling and completing the Boundry 6-20.

Sincerely,



Karen Ashby,
Secretary

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒

GAS
WELL ☐

OTHER ☐

SINGLE
ZONE ☐

MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Inland Production Company

3. ADDRESS OF OPERATOR

P.O. Box 1446 Roosevelt, UT 84066

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

SE/NW 1883' FNL & 2082' FWL
At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

8.5 miles south of Myton, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any) 1883'

16. NO. OF ACRES IN LEASE

1280.93

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

1139'

19. PROPOSED DEPTH

6500'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5269' GR

22. APPROX. DATE WORK WILL START*

2nd quarter 1996

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4	8 5/8	24#	300'	120 sx Class G+2% CaCl+2% Gel
7 7/8	5 1/2	15.5#	TD	400 sx Hilift followed by
				330 sx Class G w/ 10% CaCl

The actual cement volumes will be calculated off of the open hole logs,
plus 15% excess.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED Brad Mechem

TITLE Operations Manager

DATE 3/18/96

(This space for Federal or State office use)

PERMIT NO. 43-013-31626

APPROVAL DATE

APPROVED BY JR Matthews

TITLE Petroleum Engineer


DATE 8/29/96

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side

INLAND PRODUCTION CO. WELL LOCATION PLAT BOUNDARY #6-20

LOCATED IN THE SE1/4 OF THE NW1/4
SECTION 20, T8S, R17E, S.L.B.&M.




SCALE: 1" = 1000'

LEGEND AND NOTES

- ◇ ORIGINAL CORNER MONUMENTS FOUND AND USED BY THIS SURVEY.

THE GENERAL LAND OFFICE (G.L.O.) PLAT WAS USED FOR REFERENCE AND CALCULATIONS, AS WAS THE U.S.G.S. TRIANGLE MAP.



29 FEB 1996

84-121-054

SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAT WAS PREPARED FROM FIELD NOTES OF AN ACTUAL SURVEY PERFORMED BY ME, DURING WHICH THE SHOWN MONUMENTS WERE FOUND OR ESTABLISHED.

Jerry D. Allred
JERRY D. ALLRED, REGISTERED LAND SURVEYOR,
CERTIFICATE NO. 148951 (UTAH)



JERRY D. ALLRED & ASSOCIATES
SURVEYING CONSULTANTS

121 NORTH CENTER STREET
P.O. BOX 975
DUCHESTER, UTAH 84021
(801)-738-5352

**BOUNDARY FEDERAL #6-20
SE/NW SECTION 20, T8S, R17E
DUCHESNE COUNTY, UTAH
U-50376**

HAZARDOUS MATERIAL DECLARATION

INLAND PRODUCTION COMPANY guarantees that during the drilling & completion of the above referenced well, we will not use, produce, store, transport or dispose 10,000# annually of any of the hazardous chemicals contained in the Environmental Protection Agency's consolidated list of chemicals subject to reporting under Title III Superfund Amendments and Reauthorization Act (SARA) of 1986.

INLAND PRODUCTION COMPANY guarantees that during the drilling and completion of the above referenced well, we will use, produce, store, transport or dispose less than the threshold planning quantity (T.P.Q.) of any extremely hazardous substances as defined in 40 CFR 355.

**INLAND PRODUCTION COMPANY
BOUNDARY FEDERAL #6-20
SE/NW SECTION 20, T8S, R17E
DUCHESNE COUNTY, UTAH**

TEN POINT WELL PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta	0' - 3030'
Green River	3030'
Wasatch	6500'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 3030' 6400' - Oil

4. PROPOSED CASING PROGRAM

8 5/8", J-55, 24# w/ ST&C collars; set at 300' (New)
5 1/2", K-55, 15.5# w/ LT&C collars; set at TD (New)

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

The operators minimum specifications for pressure control equipment are as follows:

A 8" Series 900 Hydril Bag type BOP and a 8" Double Ram Hydraulic unit with a closing unit will be utilized. Function test of BOP's will be conducted daily.
(See Exhibit "F")

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

It is proposed that the well be drilled with fresh water through the Uinta Formation. From the top of the Green River Formation @ 3000' \pm to TD, a fresh water/polymer system will be utilized. If necessary to control formation fluids, the system will be weighted with the addition of bentonite gel, and if conditions warrant, barite. Typically, this fresh water/polymer system will contain Total Dissolved Solids (TDS) of less than 3000 PPM. Neither potassium chloride or chromates will be utilized in the fluid system.

7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Auxiliary safety equipment will be a Kelly Cock, bit float, and a TIW valve with drill pipe threads.

8. TESTING, LOGGING AND CORING PROGRAMS:

No drill stem testing has been scheduled for this well. It is anticipated at this time that the logging will consist of a Dual Induction Laterolog, Compensated Neutron-Formation Density Log. Logs will run from TD to 3500'. The cement log will be run from PBTD to cement top. The use of mudloggers to be determined at a later date.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

The anticipated bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered; nor that any other abnormal hazards such as H₂S will be encountered in this area.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

It is anticipated that the drilling operations will commence in May 1996, and take approximately eight (8) days to drill.

**INLAND PRODUCTION COMPANY
BOUNDARY FEDERAL #6-20
SE/NW SECTION 20, T8S, R17E
DUCHESNE COUNTY, UTAH**

THIRTEEN POINT WELL PROGRAM

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Inland Production Company well location site Boundary Federal #6-20 located in the SE 1/4 NW 1/4 Section 20, T8S, R17E, S.L.B. & M. Duchesne County, Utah:

Proceed westerly out of Myton, Utah along Highway 40 - 1.5 miles to the junction of this highway and Utah State Highway 53; proceed southerly along Utah State Highway 53 - 6.8 miles to its junction with an existing dirt road to the east; proceed easterly along this road 1.7 miles to its intersection with the beginning of the proposed access road to be discussed in Item # 2.

The highways mentioned in the foregoing paragraph are bituminous surfaced roads to the point where Highway 53 meets the existing dirt road, thereafter the roads are constructed with existing materials and gravel. The highways are maintained by Utah State road crews. All other roads are maintained by County Crews.

The aforementioned dirt oilfield service roads and other roads in the vicinity are constructed out of existing native materials that are prevalent to the existing area they are located in and range from clays to a sandy-clay shale material.

The roads required for access during the drilling, completion and production phase will be maintained at the standards required by the BLM or other controlling agencies. This maintenance will consist of some minor grader work for smoothing road surfaces and for snow removal.

2. PLANNED ACCESS ROAD

See Topographic Map "B".

The planned access road leaves the existing location described in Item #1 in the SE 1/4 NW 1/4 Section 20, T8S, R17E, S.L.B. & M. and proceeds in a northwesterly direction approximately 2900' to the proposed location.

The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is determined necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 2%.

There will no culverts required along this access road. There will no water turnouts constructed along this road.

There is one (1) fence encountered along this proposed road. There will be no gate and one new cattle guard.

All construction material for this access road will be borrowed material accumulated during construction of the access road.

3. **LOCATION OF EXISTING WELLS**

There are four (4) producing ,one (1) injection, one (1) shut in and one (1) P&A Inland Production wells, within a one-mile radius of this location site. See Exhibit "D".

4. **LOCATION OF EXISTING AND/OR PROPOSED FACILITIES**

There are no existing facilities that will be used by this well.

It is anticipated that this well will be a producing oil well.

Upon construction of a tank battery the well pad will be surrounded by a dike of sufficient capacity to contain at minimum the entire contents of the largest tank within the facility battery. The integrity of the dike will be maintained.

Tank batteries will be placed on a per Sundry Notice if the well is completed as a producer.

All permanent (on site for six (6) months or longer) structures constructed or installed (including pumping units) will be painted Desert Tan. All facilities will be painted within six months of installation.

5. **LOCATION AND TYPE OF WATER SUPPLY**

At the present time, it is anticipated that the water for this well will be transported by truck from our pre-approved Inland Production Company fresh water supply line located at the Gilsonite State #7-32 (SW/NE Sec. 32, T8S, R17E) location as indicated on Exhibit "C".

In the event this water source is not used an alternate source will be used and all the necessary arrangements will be made with the proper authorities.

There will be no water well drilled at this site.

6. **SOURCE OF CONSTRUCTION MATERIALS**

See Location Layout Sheet - Exhibit "E".

All construction material for this location shall be borrowed material accumulated during construction of the location site and access road.

A mineral material application is not required for this location.

7. **METHODS FOR HANDLING WASTE DISPOSAL**

See Location Layout Sheet - Exhibit "E".

A small reserve pit will be constructed from native soil and clay materials. However, in a departure from conventional oilfield practice, the volume and duration of fluid occupying this pit will be minimal. By applying currently available technology, a water processing unit will be employed to continuously recycle the drilling fluid as it is used, returning the fluid component to the drilling rig's steel tanks. The reserve pit will primarily receive the processed drill cuttings (wet sand, shale & rock) removed from the wellbore. Any drilling fluids which do accumulate in the pit as a result of shale-shaker carryover, cleaning of the sand trap, etc., will be promptly reclaimed by the water recycling unit and then returned to the steel rig tanks. Furthermore, all drilling fluids will be fresh water based, typically containing Total Dissolved Solids of less than 3000 PPM. No potassium chloride, chromates, trash, debris, nor any other substance deemed hazardous will be placed in this pit. Therefore, it is proposed that no synthetic liner be utilized in the reserve pit.

A portable toilet will be provided for human waste.

A trash basket will be provided for garbage (trash) and hauled away to an approved disposal site at the completion of the drilling activities.

Immediately upon first production, all produced water will be confined in storage tanks. Inland requests temporary approval to transfer the produced water to Inland's nearby waterflood supply for reinjection into the waterflood reservoirs via existing approved injection wells. Within 90 days of first production, a water analysis will be submitted to the Authorized Officer, along with an application for approval of this as a permanent disposal method.

8. **ANCILLARY FACILITIES**

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. **WELL SITE LAYOUT**

See attached Location Layout Sheet - Exhibit "E".

The reserve pit will be located on the north, between stakes 4 & 5.

No flare pit will be used on this location.

The stockpiled topsoil (first six (6) inches) will be windrowed along the south side, between stakes 1 & 2.

Access to the well pad will be from the southwest corner, between stakes 1 & 2.

Fencing Requirements

All pits will be fenced according to the following minimum standards:

- a) 39 inch net wire shall be used with at least one strand of barbed wire on top of the net.
- b) The net wire shall be no more than two (2) inches above the ground. The barbed wire shall be three (3) inches above the net wire. Total height of the fence shall be at least forty-two (42) inches.
- c) Corner posts shall be cemented and/or braced in such a manner to keep tight at all times.
- d) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than sixteen (16) feet.
- e) All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three (3) sides during drilling operations and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

10. PLANS FOR RESTORATION OF SURFACE

a) *Producing Location*

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, material, trash and junk not required for production.

The reserve pit and that portion of the location not needed for production facilities/operations will be re contoured to the approximated natural contours. The reserve pit will be reclaimed within one hundred twenty (120) days from the date of well completion. Before any dirt work takes place, the reserve pit must have all fluids and hydrocarbons, removed.

When the drilling and completion phase ends, reclamation of unused disturbed areas on the well pad/access road no longer needed for operations, such as cut slopes, and fill areas will be accomplished by grading, leveling and seeding as recommended by the Authorized Officer. The seed mixture will be per B.L.M. and stated in the conditions of approval.

b) *Dry Hole Abandoned Location*

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and the State of Utah will attach the appropriate surface rehabilitation conditions of approval.

11. **SURFACE OWNERSHIP** - Bureau of Land Management

12. **OTHER ADDITIONAL INFORMATION**

- a) Inland Production Company is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, Inland is to immediately stop work that might further disturb such materials, and contact the Authorized Officer.
- b) Inland Production will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. On B.L.M. administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other possible hazardous chemicals.

There are no dwellings or facilities in the general area. There are no visible archaeological, historical or cultural sites within any reasonable proximity of the proposed location site. The Archaeological Report Waiver will be submitted, as soon as it becomes available.

Additional Surface Stipulations

A silt catchment dam will not be constructed.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws and regulations. Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. Inland Production is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

A complete copy of the approved APD, if applicable, shall be on location during the construction of the location and drilling activities.

Inland Production Company or a contractor employed by Inland Production shall contact the B.L.M. office at (801) 789-1362, 48 hours prior to construction activities.

The B.L.M. office shall be notified upon site completion prior to moving on the drilling rig.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

Name: Brad Mecham

Address: P.O. Box 1446 Roosevelt, Utah 84066

Telephone: (801) 722-5103


Certification

Please be advised that INLAND PRODUCTION COMPANY is considered to be the operator of Well #6-20 SE/NW Section 20, Township 8S, Range 17E: Lease #U-50376, Duchesne County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4488944.

I hereby certify that I, or persons under my direct supervision have inspected the proposed drillsite and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Inland Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

3-19-96
Date

Brad Mecham
Brad Mecham
Operations Manager



TOPOGRAPHIC
MAP "A"




INLAND PRODUCTION COMPANY

BOUNDARY #6-20
SECTION 20, T8S, R17E, S.L.B.&M.

2 Mar '96

84-121-054



TOPOGRAPHIC
MAP "B"
SCALE: 1"=2000'



INLAND PRODUCTION COMPANY


BOUNDARY #6-20
SECTION 20, T8S, R17E, S.L.B.&M.

2 Mar '96


84-121-054

"R. 2 W. MYTON 6 1/2 MI 2'30" R. 1 W. 2410000 FEET 110°00'

EXHIBIT C



E XHIBIT "D"



Wind
 4317 2nd St. SW
 Denver, Colorado 80202
 Tel: (303) 733-0000

One Mile Radius
 Boundary Federal Rd 21
 Duane County, Utah



Date: 5/18/05

DATE: 10/18/05 11:10AM INLAND RESOURCES

2-M SYSTEM

EXHIBIT F

RAM TYPE B.O.P.
 Make:
 Size:
 Model:



GAL TO CLOSE
 Annular BOP = _____
 Ramtype BOP
 _____ Rams x _____ = _____
 = _____ Gal.
 _____ x 2 = _____ Total Gal.

Rounding off to the next higher
 increment of 10 gal. would require
 _____ Gal. (total fluid & nitro volume)

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 03/20/96

API NO. ASSIGNED: 43-013-31626

WELL NAME: BOUNDARY FEDERAL 6-20
OPERATOR: INLAND PRODUCTION COMPANY (N5160)

PROPOSED LOCATION:

SEW 20 - T08S - R17E
SURFACE: 1883-FNL-2082-FWL
BOTTOM: 1883-FNL-2082-FWL
DUCHESNE COUNTY
TREATY BOUNDARY FIELD (130)

LEASE TYPE: FED
LEASE NUMBER: U - 50376

PROPOSED PRODUCING FORMATION: GRRV

INSPECT LOCATION BY: / /

TECH REVIEW	Initials	Date
Engineering		
Geology		
Surface		

RECEIVED AND/OR REVIEWED:

☒ Plat
☒ Bond: Federal ☒ State ☐ Fee ☐
(Number 4499944)
☒ Potash (Y/N)
☒ Oil shale (Y/N)
☒ Water permit
(Number INTERSECTION WELL 7-32)
☒ RDCC Review (Y/N)
(Date: _____)

LOCATION AND SITING:

___ R649-2-3. Unit: _____
☒ R649-3-2. General.
___ R649-3-3. Exception.
___ Drilling Unit.
___ Board Cause no: _____
___ Date: _____

COMMENTS: _____

STIPULATIONS: _____

STATE OF UTAH, DIV OF OIL, GAS & MINERALS

Operator: INLAND PRODUCTION	Well Name: BOUNDARY FED 6-20
Project ID: 43-013-31626	Location: SEC. 20 - T8S - R17E

Design Parameters:

Mud weight (8.80 ppg) : 0.457 psi/ft
 Shut in surface pressure : 2558 psi
 Internal gradient (burst) : 0.064 psi/ft
 Annular gradient (burst) : 0.000 psi/ft
 Tensile load is determined using air weight
 Service rating is "Sweet"

Design Factors:

Collapse : 1.125
 Burst : 1.00
 8 Round : 1.80 (J)
 Buttress : 1.60 (J)
 Other : 1.50 (J)
 Body Yield : 1.50 (B)

Length (feet)		Size (in.)	Weight (lb/ft)	Grade	Joint	Depth (feet)	Drift (in.)	Cost	
1	6,500	5.500	15.50	K-55	LT&C	6,500	4.825		
	Collapse Load Strgth S.F. (psi) (psi)			Burst Load (psi)	Min Int Yield Strgth S.F. (psi)	Tension Load Strgth S.F. (kips) (kips)			
1	2971	4040	1.360	2971	4810	1.62	100.75	239	2.37 J

Prepared by : MATTHEWS, Salt Lake City, Utah
 Date : 08-29-1996
 Remarks :

GREEN RIVER

Minimum segment length for the 6,500 foot well is 1,500 feet.

SICP is based on the ideal gas law, a gas gravity of 0.75, and a mean gas temperature of 114°F (Surface 74°F , BHT 165°F & temp. gradient 1.400°/100 ft.)

String type: Production

The mud gradient and bottom hole pressures (for burst) are 0.457 psi/ft and 2,971 psi, respectively.

NOTE: The design factors used in this casing string design are as shown above. As a general guideline, Lone Star Steel recommends using minimum design factors of 1.125 - collapse (with evacuated casing), 1.0 - (uniaxial) burst, 1.8 - API 8rd tension, 1.6 - buttress tension, 1.5 - body yield tension, and 1.6 - EUE 8rd tension. Collapse strength under axial tension was calculated based on the Westcott, Dunlop and Kemler curve. Engineering responsibility for use of this design will be that of the purchaser.
 Costs for this design are based on a 1987 pricing model. (Version 1.07)



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

August 29, 1996

Inland Production Company
P.O. Box 1446
Roosevelt, Utah 84066

Re: Boundary Federal 6-20 Well, 1883' FNL, 2082' FWL,
SE NW, Sec. 20, T. 8 S., R. 17 E., Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-31626.

Sincerely,

R. G. Firth
Associate Director

lwp

Enclosures

cc: Duchesne County Assessor
Bureau of Land Management, Vernal District Office



Operator: Inland Production Company
Well Name & Number: Boundary Federal 6-20
API Number: 43-013-31626
Lease: U-50376
Location: SE NW Sec. 20 T. 8 S. R. 17 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5336.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews at (801)538-5334 or Mike Hebertson at (801)538-5333.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company: INLAND PRODUCTION CO.

Well Name: BOUNDRY FEDERAL 6-20

Api No. 43-013-31626

Section 20 Township 8S Range 17E County DUCHESNE

Drilling Contractor CAZA

Rig #: 59

SPUDDDED:

Date: 9/9/96

Time: _____

How: DRY HOLE

Drilling will commence:_____

Reported by: D. HACKFORD

Telephone #: _____

Date: 9/12/96 Signed: FRM

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM - FORM 6

OPERATOR Inland Production CO.OPERATOR ACCT. NO. # 5160ADDRESS P.O. Box 1446Roosevelt, UT 84066

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION				COUNTY	SPUD DATE	EFFECTIVE DATE
					Q0	SC	TP	RG			
	99999	11991	43-013-31626	Boundary Fed # 6-20	SE/NW	20	8S	17E	Duchesne	9/9/96	9/9/96
WELL 1 COMMENTS:											
	99999	11992	43-013-15781	Ashley Federal # 10-24R	NW/SE	24	9S	15E	Duchesne	9/8/62	
WELL 2 COMMENTS:											
	99999	11993	43-013-15782	Ashley Federal # 12-24R	NW/SW	24	9S	15E	Duchesne	12/15/62	8-19-96
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

Cheryl Cameron *[Signature]*
 Signature
 Regulatory Compliance Specialist 9/11/96
 Title Date

Phone No. (801) 722-5103



September 11, 1996

*State of Utah
Division of Oil, Gas & Mining
P.O. Box 145801
1594 West North Temple Suite 1210
Salt Lake City Utah 84114-5801*

ATTENTION: Lisha Cordova

**RE: Boundary Federal #6-20
SE/NW Sec. 20, T8S, R17E
Duchesne County, Utah**

**Ashley Federal #10-24R
NW/SE Sec. 24, T9S, R15E
Duchesne County, Utah**

**Ashley Federal #12-24R
NW/SW Sec. 24, T9S, R15E
Duchesne County, Utah**

Dear Lisha,

*I am faxing Entity Action Form - 6, for the new Entity No., on the above
referenced locations.*

Please call me at your convenience, with the new numbers at (801) 722-5103.

Sincerely,

**Cheryl Cameron
Regulatory Compliance Specialist**

*/cc
Enclosures*

Inland Production Company Field Office • P.O. Box 1446 • Roosevelt, UT 84066 • 801-722-5103 • FAX 801-722-9149

475 Seventeenth Street, Suite 1500, Denver, CO 80202 • 303-292-0900 • FAX 303-296-4070

DOGmt

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒

GAS
WELL ☐

OTHER ☐

SINGLE
ZONE ☐

MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Inland Production Company

3. ADDRESS OF OPERATOR

P.O. Box 1446 Roosevelt, UT 84066

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface

SE/NW 1883' FNL & 2082' FWL
At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

8.5 miles south of Myton, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any) 1883'

16. NO. OF ACRES IN LEASE

1280.93

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT. 1139'

19. PROPOSED DEPTH

6500'

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5269' GR


22. APPROX. DATE WORK WILL START*

2nd quarter 1996

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4	8 5/8	24#	300'	120 sx Class G+2% CaCl+2% Gel
7 7/8	5 1/2	15.5#	TD	400 sx Hilift followed by
				330 sx Class G w/ 10% CaCl

The actual cement volumes will be calculated off of the open hole logs,
plus 15% excess.



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED Brad Mechem TITLE Operations Manager DATE 3/18/96

(This space for Federal or State office use)

NOTICE OF APPROVAL

PERMIT NO.

ACTING APPROVAL DATE
Assistant Field Manager

AUG 29, 1996

APPROVED BY

TITLE Mineral Resources

DATE

CONDITIONS OF APPROVAL, IF ANY:

CONDITIONS OF APPROVAL ATTACHED
TO OPERATOR'S COPY

*See Instructions On Reverse Side

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Inland Production Company

Well Name & Number: Boundary Fed. 6-20

API Number: 43-013-31626

Lease Number: U-50376

Location: SENW Sec. 20 T. 8S R. 17E

NOTIFICATION REQUIREMENTS

- | | | |
|---------------------------------|---|---|
| Location Construction | - | at least forty-eight (48) hours prior to construction of location and access roads. |
| Location Completion | - | prior to moving on the drilling rig. |
| Spud Notice | - | at least twenty-four (24) hours prior to spudding the well. |
| Casing String and Cementing | - | at least twenty-four (24) hours prior to running casing and cementing all casing strings. |
| BOP and Related Equipment Tests | - | at least twenty-four (24) hours prior to initiating pressure tests. |
| First Production Notice | - | within five (5) business days after new well begins, or production resumes after well has been off production for more than ninety (90) days. |

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative by the operator to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report **ALL** water shows and water-bearing sands to Tim Ingwell of this office **prior to setting the next casing string or requesting plugging orders**. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a **2M** system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

If conductor pipe is set it will be cemented to surface. If drive pipe is used it will be pulled prior to cementing surface casing.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the base of the usable water zone identified at ± 334 ft. or by setting the surface casing at ± 384 ft. and have a cement top for the production casing at least 200 ft. above the Mahogany Oil Shale, identified at ± 2755 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

The Gamma Ray and Induction Logs need to be pulled from TD to the Surface Shoe.

A cement bond log (CBL) will be run from the production casing shoe to ± 2555 ft. if the surface casing is set at ± 384 ft. or it will be run to **SURFACE** if the surface casing is set at ± 300 ft. and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The Vernal District Office shall be notified, during regular work hours (7:45 a.m.-4:30 p.m., Monday through Friday except holidays), at least 24 hours **prior** to spudding the well.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-5 (b.9. d.), and shall be submitted to the appropriate District Office within sixty (60) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (b. 4).

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted following initial installation and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approval or notification is necessary, please contact one of the following individuals:

Wayne Bankert (801) 789-4170
Petroleum Engineer

Ed Forsman (801) 789-7077
Petroleum Engineer

Jerry Kenczka (801) 789-1190
Petroleum Engineer

BLM FAX Machine (801) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

- Unused fracturing fluids or acids
- Gas plant cooling tower cleaning wastes
- Painting wastes
- Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids
- Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste
- Refinery wastes
- Liquid and solid wastes generated by crude oil and tank bottom reclaimers
- Used equipment lubrication oils
- Waste compressor oil, filters, and blowdown
- Used hydraulic fluids
- Waste solvents
- Waste in transportation pipeline-related pits
- Caustic or acid cleaners
- Boiler cleaning wastes
- Boiler refractory bricks
- Incinerator ash
- Laboratory wastes
- Sanitary wastes
- Pesticide wastes
- Radioactive tracer wastes
- Drums, insulation and miscellaneous solids.

Conditions of Approval
For the Surface Use Program of
the Application for Permit to Drill

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

All vehicle travel will be confined to existing access road rights-of-way.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas well ☐ Other

2. Name of Operator

Inland Production Co.

3. Address and Telephone No.

P.O. Box 1446 Roosevelt, Ut 84066 (801) 722-5103

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

*SE/NW 1883' FNL & 2082' FWL
Sec. 20, T8S, R17E*

5. Lease Designation and Serial No.

U-50376

6. If Indian, Alottee or Tribe Name

7. If unit or CA, Agreement Designation

8. Well Name and No.

Boundary Federal 6-20

9. API Well No.

43-013-31626

10. Field and Pool, or Exploratory Area

Boundary

11. County or Parish, State

Duchesne, Ut

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
- ☒ Subsequent Report
- ☐ Final Abandonment Notice


TYPE OF ACTION

- ☐ Abandonment
- ☐ Recompletion
- ☐ Plugging Back
- ☐ Casing repair
- ☐ Altering Casing
- ☒ Other *Spud Notification*
- ☐ Change of Plans
- ☐ New Construction
- ☐ Non-Routine Fracturing
- ☐ Water Shut-off
- ☐ Conversion to Injection
- ☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directly drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

*Drilled 12 1/4" hole to 30'. PU 17 1/4" bit & drill to 30'.
TOH & run 13 3/8" K-55 54.5# conductor csg.
Cmt w/ 30 sx ready mix. Finished drlg to 210'.
Cmt w/ 120sx prem + 2% Gel, 2% cc 1/4# sk flocele &
50sx prem + w/ 2% cc mixed.*



Spud 9/9/96

14. I hereby certify that the foregoing is true and correct.

Signed

Cheryl Cameron

Title

Regulatory Compliance Specialist

Date *09-11-96*

(This space of Federal or State office use.)

Approved by

Title

Date


Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to any department of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



September 17, 1996

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078



ATTENTION: Ed Forsman

RE: Boundary #6-20
SE/NW Sec. 20, T8S, R17E
Duchesne County, Utah

Dear Ed,

Enclosed is the original, and two copies of the Sundry Notices and Reports on wells, for the above referenced location. Copies will also be submitted to the State of Utah.

Please contact me in the Roosevelt office (801 722-5103), if you have questions, or need additional information.

Sincerely,

Cheryl Cameron
Regulatory Compliance Specialist

cc: State of Utah
Division of Oil Gas & Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Enclosures
/cc

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

U-50376

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Boundary #6-20

9. API Well No.

43-013-31626

10. Field and Pool, or Exploratory Area

Boundary

11. County or Parish, State

Duchesne, UT

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Inland Production Company

3. Address and Telephone No.

P.O. Box 1446 Roosevelt, UT 84066 (801) 722-5103

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SE/NW 1883' FNL & 2082' FWL
Sec. 20, T8S, R17E

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Weekly Status
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

WEEKLY STATUS REPORT FOR WEEK OF 9/19/96 - 9/24/96:

Drilled 7 7/8" hole from 303' - 6480' w/ Caza, Rig #59. Run 6480.56' of 5 1/2" 15.5# J-55 csg. Cmt w/ 410 sx Hybond & 420 sx Thixo w/ 10% Calseal.

RDMOL.



14. I hereby certify that the foregoing is true and correct

Signed Cheryl Cameron

Title Regulatory Compliance Specialist

Date 9/30/96

(This space for Federal or State office use)

Approved by _____

Title _____

Date _____

Conditions of approval, if any:

(June 1990)

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED

Budget Bureau No. 1004-0135

Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas well ☐ Other

2. Name of Operator

Inland Production Co.

3. Address and Telephone No.

P.O. Box 790233 Vernal, UT 84079 (801) 789-1866

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SE/NW**Sec. 20, T8S, R17E**

5. Lease Designation and Serial No.

U-50376

6. If Indian, Allottee or Tribe Name

7. If unit or CA, Agreement Designation

8. Well Name and No.

Boundary Federal #6-20

9. API Well No.

43-013-31626

10. Field and Pool, or Exploratory Area

Boundary

11. County or Parish, State

Duchesne, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION


- ☐ Notice of Intent
- ☒ Subsequent Report
- ☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
- ☐ Recompletion
- ☐ Plugging Back
- ☐ Casing repair
- ☐ Altering Casing
- ☒ Other Weekly Status
- ☐ Change of Plans
- ☐ New Construction
- ☐ Non-Routine Fracturing
- ☐ Water Shut-off
- ☐ Conversion to Injection
- ☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WEEKLY STATUS REPORT FOR WEEK OF 10/4/96 - 10/16/96:**Perf CP ZONE @ 6255'-6263', 6237'-6245', 6169'-6182' & frac****Perf LDC sd @ 5842'-5848' & frac****Perf A sd @ 5786'-5799 & frac****Perf D sd @ 5278'-5282', 5342'-5349' & frac****RIH w/ production string****ON PRODUCTION 10/16/96**

14. I hereby certify that the foregoing is true and correct

Signed

Cheryl Cameron
Cheryl Cameron

Title

Regulatory Compliance Specialist

Date

10/18/96

(This space of Federal or State office use.)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to any department of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

***See Instruction on Reverse Side**

INLAND PRODUCTION Co.


BOUNDARY FEDERAL #6-20

SEC 20; T8S; R17E

POW

U-50376

43-013-31626



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See Instructions on
Structure and
Lease Side)

Expires August 31, 1985

LEASE DESIGNATION AND SERIAL NO.

U-50376

IF INDIAN, ALLOTTEE OR TRIBE NAME

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP EN ☐ PLUG BACK ☐ DIFF. RESVR ☐ OTHER ☐

2. NAME OF OPERATOR
Inland Production Company

3. ADDRESS OF OPERATOR
P.O. Box 790233 Vernal, UT 84079

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface SE/NW
At top prod. interval reported below 1883' FNL & 2082' FWL
At total depth 43-013-31626

14. PERMIT NO. UT0806M088 DATE ISSUED 8/29/96

5. DATE SHUDDERED 9/9/96 16. DATE T.D. REACHED 9/23/96 17. DATE COMPL. (Ready to prod.) 10/16/96 18. ELEVATIONS (DP, RKB, RT, GR, ETC.)* 5269' GR 19. ELEV. CASINGHEAD --

20. TOTAL DEPTH, MD & TVD 6480' 21. PLUG BACK T.D., MD & TVD 6434' KB 22. IF MULTIPLE COMPL. HOW MANY* -- 23. INTERVALS DRILLED BY ROTARY TOOLS X CABLE TOOLS --

24. PRODUCING INTERVAL(S), OF THIS COMPLETION TOP, BOTTOM, NAME (MD AND TVD)* Green River
6255'-6263', 6237'-6245', 6169'-6182', 5842'-5848', 5786'-5799', 5278'-5282', 5342'-5349'

25. TYPE ELECTRIC AND OTHER LOGS RUN CBL, DLL, CNL 11-27-96 26. WAS WELL CORED No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	24#	283.66 GL	12 1/4	120 sx prem +, 2% gel w/ 2% CC + 1/4#/ sk flocele	
5 1/2	15.5#	6480.56	7 7/8	410 sx Hybond & 420 sx Th x w/ 10% Calseal	

LINER RECORD					TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)
CP 6255'-6263', 6237'-6245', 6169'-6182'
LDC 5842'-5848', A 5786'-5799'
D 5278'-5282', 5342'-5349'

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.
DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED
see back

33. PRODUCTION
DATE FIRST PRODUCTION 10/16/96 PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) Pumping 2 1/2" X 1 1/2" X 15 1/2" RHAC pump WELL STATUS (Producing or shut-in) producing

DATE OF TEST 14 day avg HOURS TESTED 10/96 CHOKER SIZE N/A PROD. FOR TEST PERIOD 34 OIL--BBL. 53 GAS--MCF. 18 WATER--BBL. 1.6 GAS-OIL RATIO

FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE OIL--BBL. GAS--MCF. WATER--BBL. OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY

Sold & Used for Fuel

35. LIST OF ATTACHMENTS

Logs in Item #26

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

Regulatory Compliance

SIGNED

Cheryl Cameron

TITLE Specialist

DATE 11/8/96

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	TOP		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Garden Gulch Mkr Point 3 Mkr X Mkr Y Mkr Douglas Ck Mkr Bicarbonate Mkr B Limestone Mkr C Limestone Peak B Limestone Carbonate	4563' 4848' 5078' 5114' 5243' 5501' 5632' 6125' NDE		#32. Perf CP 6255'-6263', 6237'-6245' 6169'-6182' Frac w/ 18,100# 20/40 sd in 234 bbls gel Perf LDC 5842'-5848' A 5786'-5799' Frac w/ 105,700# 20/40 sd in 581 bbls gel Perf D 5278'-5282', 5342'-5349' Frac w/ 95,300# 20/40 sd in 522 bbls gel			

Inland Resources Inc.
Greater Boundary Unit
Well List
Status as of March 27, 1998

To: Lisa
From: Debbie

all of these
are 43-013-

#12391 "Greater Boundary (GPRV) Unit"

Lease Name	Status	Operator	Twp	Rge	Sec	Spot	Accounting No.	API Code
BOUNDARY FEDERAL 7-203075000511NJ	INJ	INLAND	08S	17E	20	7.0	UMBOI001	30750 8407
BOUNDARY FED 11-21	INJ	INLAND	08S	17E	21	11.0	UMBOI002	30752 10630
BOUNDARY FEDERAL 15-21	INJ	INLAND	08S	17E	21	15.0	UMBOI003	31622 11924
BOUNDARY FEDERAL #10-20	P&A	N/A	08S	17E	20	10	#N/A	
TAR SANDS FEDERAL 12-28	P&A	INLAND	08S	17E	28	12.0	#N/A	
TAR SANDS FEDERAL #32-29	P&A	N/A	08S	17E	29	7	#N/A	
BOUNDARY FEDERAL 6-20	PDP	INLAND	08S	17E	20	6.0	UMBOP001	31626 11991
BOUNDARY FEDERAL 8-20	PDP	INLAND	08S	17E	20	8.0	#N/A	31993 12329
BOUNDARY FEDERAL 9-20	PDP	INLAND	08S	17E	20	9.0	UMBOP002	30690 8408
BOUNDARY FEDERAL 15-20	PDP	INLAND	08S	17E	20	15.0	UMBOP003	30667 8409
BOUNDARY 6-21	PDP	INLAND	08S	17E	21	6.0	UMBOP005	31889 1226
BOUNDARY 7-21	PDP	INLAND	08S	17E	21	7.0	UMZZP053	31640 1202
BOUNDARY 8-21	PDP	INLAND	08S	17E	21	8.0	UMZZP052	31557 11851
BOUNDARY FEDERAL 9-21	PDP	INLAND	08S	17E	21	9.0	UMBOP006	31542 11806
BOUNDARY FEDERAL 10-21	PDP	INLAND	08S	17E	21	10.0	UMBOP007	31532 11803
BOUNDARY FEDERAL 12-21	PDP	INLAND	08S	17E	21	12.0	UMBOP008	31440 11709
BOUNDARY FEDERAL 13-21	PDP	INLAND	08S	17E	21	13.0	UMBOW001	30665 2660
BOUNDARY FEDERAL 14-21	PDP	INLAND	08S	17E	21	14.0	UMBOP009	31441 11768
BOUNDARY FEDERAL 16-21	PDP	INLAND	08S	17E	21	16.0	UMBOP010	31627 11934
TAR SANDS FEDERAL 2-28	PDP	INLAND	08S	17E	28	2.0	UMZZP079	11937 31642
TAR SANDS FEDERAL 3-28	PDP	INLAND	08S	17E	28	3.0	UMZZP078	11923 31623
TAR SANDS FEDERAL 4-28	PDP	INLAND	08S	17E	28	4.0	UMZZP080	11938 31641
TAR SANDS FEDERAL 5-28 (I)	PDP	INLAND	08S	17E	28	5.0	UMZZP114	12171 31697
TAR SANDS FED 6-28	PDP	INLAND	08S	17E	28	6.0	UMZZP116	12241 31921
TAR SANDS FED 13-28	PDP	INLAND	08S	17E	28	13.0	UMZZP105	12176 31771
TAR SANDS FEDERAL 1-29	PDP	INLAND	08S	17E	29	1.0	UMZZP115	12168 31743
TAR SANDS FED 8-29	PDP	INLAND	08S	17E	29	8.0	UMZZP117	12242 31922
TAR SANDS FEDERAL 9-29	PDP	INLAND	08S	17E	29	9.0	#N/A	12281 31942
TAR SANDS FEDERAL 12-29	PDP	INLAND	08S	17E	29	12.0	UMZZP113	12261 31924
TAR SANDS FEDERAL 16-29	PDP	INLAND	08S	17E	29	16.0	UMZZP106	12212 31871
TAR SANDS FEDERAL 1-33	PDP	INLAND	08S	17E	33	1.0	UMZZP108	12265 31863
TAR SANDS FEDERAL 2-33	PDP	INLAND	08S	17E	33	2.0	UMZZP107	12271 31867
BOUNDARY FED 5-21	SI	INLAND	08S	17E	21	5.0	UMBOP004	30822 11162
FEDERAL 1-26	SI	INLAND	08S	17E	26	3.0	431162	4304731953 11227

Thanks for your help.

ENTITY ACTION FORM - FORM 6

OPERATOR INLAND PRODUCTION COMPANY

OPERATOR ACCT. NO. 15160

ADDRESS _____

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
D		12391		**SEE ATTACHED**							5-1-98
WELL 1 COMMENTS: GREATER BOUNDARY (GRRV) UNIT EFF 5-1-98											
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

L. CORDOVA (DOGM)

Signature

ENG. TECH

Title

6-26-98

Date

Phone No. ()

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.

U-50376

6. If Indian, Allottee or Tribe Name

NA

7. If Unit or CA, Agreement Designation

GREATER BOUNDARY

8. Well Name and No.

BOUNDARY FEDERAL 6-20

9. API Well No.

43-013-31626

10. Field and Pool, or Exploratory Area

TREATY BOUNDARY

11. County or Parish, State

DUCHESNE COUNTY, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

INLAND PRODUCTION COMPANY

3. Address and Telephone No.

475 17TH STREET, SUITE 1500, DENVER, COLORADO 80202 (303) 292-0900

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)

1883 FNL 2082 FWL SE/NW Section 20, T08S R17E

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION


☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Site Security

☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Attached please find the site security diagram for the above referenced well.



14. I hereby certify that the foregoing is true and correct

Signed

Debbie E. Knight

Title

Manager, Regulatory Compliance

Date

10/30/98

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

CC: UTAH DOGM

Inland Production Company Site Facility Diagram

Boundary 6-20

SE/NW Sec. 20, T8S, 17E

Duchesne County

May 12, 1998

Site Security Plan is held at the Roosevelt Office, Roosevelt Utah

Production Phase:


- 1) Valves 1, 3, 4 sealed closed
- 2) Valves 2 and 5 sealed open

Sales Phase:

- 1) Valves 1, 2, 4, 5 sealed closed
- 2) Valves 3 open

Draining Phase:

- 1) Valve 1 open





Office of the Secretary of State

The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company
Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.



A handwritten signature in black ink, appearing to read "G. Connor".

Secretary of State



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>



IN REPLY REFER TO:

3106

(UT-924)

September 16, 2004

Memorandum

To: Vernal Field Office

From: Acting Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the name change recognized by the Utah State Office. We have updated our records to reflect the merger from Inland Production Company into Newfield Production Company on September 2, 2004.

Michael Coulthard
Acting Chief, Branch of
Fluid Minerals

Enclosure

1. State of Texas Certificate of Registration

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare

UTSL-	15855	61052	73088	76561	
071572A	16535	62848	73089	76787	
065914	16539	63073B	73520A	76808	
	16544	63073D	74108	76813	
	17036	63073E	74805	76954	63073X
	17424	63073O	74806	76956	63098A
	18048	64917	74807	77233	68528A
UTU-	18399	64379	74808	77234	72086A
	19267	64380	74389	77235	72613A
02458	26026A	64381	74390	77337	73520X
03563	30096	64805	74391	77338	74477X
03563A	30103	64806	74392	77339	75023X
04493	31260	64917	74393	77357	76189X
05843	33992	65207	74398	77359	76331X
07978	34173	65210	74399	77365	76788X
09803	34346	65635	74400	77369	77098X
017439B	36442	65967	74404	77370	77107X
017985	36846	65969	74405	77546	77236X
017991	38411	65970	74406	77553	77376X
017992	38428	66184	74411	77554	78560X
018073	38429	66185	74805	78022	79485X
019222	38431	66191	74806	79013	79641X
020252	39713	67168	74826	79014	80207X
020252A	39714	67170	74827	79015	81307X
020254	40026	67208	74835	79016	
020255	40652	67549	74868	79017	
020309D	40894	67586	74869	79831	
022684A	41377	67845	74870	79832	
027345	44210	68105	74872	79833	
034217A	44426	68548	74970	79831	
035521	44430	68618	75036	79834	
035521A	45431	69060	75037	80450	
038797	47171	69061	75038	80915	
058149	49092	69744	75039	81000	
063597A	49430	70821	75075		
075174	49950	72103	75078		
096547	50376	72104	75089		
096550	50385	72105	75090		
	50376	72106	75234		
	50750	72107	75238		
10760	51081	72108	76239		
11385	52013	73086	76240		
13905	52018	73087	76241		
15392	58546	73807	76560		

ARTICLES OF AMENDMENT
TO THE
ARTICLES OF INCORPORATION
OF
INLAND PRODUCTION COMPANY

FILED
In the Office of the
Secretary of State of Texas

SEP 02 2004
Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 – Name

The name of the corporation is Inland Production Company.

ARTICLE 2 – Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE – The name of the corporation is Newfield Production Company."

ARTICLE 3 – Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1st day of September, 2004.

INLAND RESOURCES INC.

By: Susan G. Riggs
Susan G. Riggs, Treasurer

OPERATOR CHANGE WORKSHEET**ROUTING**

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change**Merger**

The operator of the well(s) listed below has changed, effective:

9/1/2004**FROM: (Old Operator):**

N5160-Inland Production Company

Route 3 Box 3630

Myton, UT 84052

Phone: 1-(435) 646-3721

TO: (New Operator):

N2695-Newfield Production Company

Route 3 Box 3630

Myton, UT 84052

Phone: 1-(435) 646-3721

CA No.**Unit:****GREATER BOUNDARY (GR)****WELL(S)**

NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
BOUNDARY FED 15-20	20	080S	170E	4301330667	12391	Federal	WI	A
BOUNDARY FED 9-20	20	080S	170E	4301330690	12391	Federal	WI	A
BOUNDARY FED 7-20	20	080S	170E	4301330750	12391	Federal	WI	A
BOUNDARY FED 6-20	20	080S	170E	4301331626	12391	Federal	OW	S
BOUNDARY FED 13-21	21	080S	170E	4301330665	12391	Federal	WI	A
BOUNDARY FED 11-21	21	080S	170E	4301330752	12391	Federal	WI	A
BOUNDARY FED 5-21	21	080S	170E	4301330822	12391	Federal	WI	A
BOUNDARY FED 12-21	21	080S	170E	4301331440	12391	Federal	OW	S
BOUNDARY FED 14-21	21	080S	170E	4301331441	12391	Federal	OW	P
BOUNDARY FED 10-21	21	080S	170E	4301331532	12391	Federal	OW	P
BOUNDARY FED 9-21	21	080S	170E	4301331542	12391	Federal	WI	A
BOUNDARY 8-21	21	080S	170E	4301331557	12391	Fee	OW	P
BOUNDARY FED 15-21	21	080S	170E	4301331622	12391	Federal	WI	A
BOUNDARY FED 16-21	21	080S	170E	4301331627	12391	Federal	OW	P
BOUNDARY 7-21	21	080S	170E	4301331640	12391	Fee	WI	A
TAR SANDS FED 3-28	28	080S	170E	4301331623	12391	Federal	WI	A
TAR SANDS FED 4-28	28	080S	170E	4301331641	12391	Federal	OW	P
TAR SANDS FED 2-28	28	080S	170E	4301331642	12391	Federal	OW	S
TAR SANDS FED 5-28 (I)	28	080S	170E	4301331697	12391	Federal	WI	A
GB FED 7-29R-8-17	29	080S	170E	4301330435		Federal	D	PA

K

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/15/20042. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/15/20043. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 2/23/20054. Is the new operator registered in the State of Utah: YES Business Number: 755627-01435. If **NO**, the operator was contacted contacted on:

6a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
6b. Inspections of LA PA state/fee well sites complete on: waived

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: na/

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 2/23/2005

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 2/28/2005
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 2/28/2005
3. Bond information entered in RBDMS on: 2/28/2005
4. Fee/State wells attached to bond in RBDMS on: 2/28/2005
5. Injection Projects to new operator in RBDMS on: 2/28/2005
6. Receipt of Acceptance of Drilling Procedures for APD/New on: waived

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UT 0056

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 61BSBDH2912

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 61BSBDH2919
2. The **FORMER** operator has requested a release of liability from their bond on: n/a*
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

*Bond rider changed operator name from Inland Production Company to Newfield Production Company - received 2/23/05

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

NEWFIELD PRODUCTION COMPANY

3a. Address Route 3 Box 3630

Myton, UT 84052

3b. Phone (include area code)

435.646.3721

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1883 FNL 2082 FWL

SENW Section 20 T8S R17E

5. Lease Serial No.

USA UTU-76954

6. If Indian, Allottee or Tribe Name.

7. If Unit or CA/Agreement, Name and/or

GREATER BOUNDARY II

8. Well Name and No.

BOUNDARY FED 6-20

9. API Well No.

4301331626

10. Field and Pool, or Exploratory Area

MONUMENT BUTTE

11. County or Parish, State

DUCHESNE, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production(Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug & Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	_____
	<input type="checkbox"/> Convert to	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	_____

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Newfield requests a change of status to TA this well. Newfield plans to Re-Complete this well in the near future in the following intervals.

Need to evaluate a water shut off.

Accepted by the
Utah Division of
Oil, Gas and Mining
For Record Only

I hereby certify that the foregoing is true and
correct (Printed/ Typed)

Kathy Chapman

Signature



Title

Office Manager

Date

01/30/2008

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or
certify that the applicant holds legal or equitable title to those rights in the subject lease
which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United
States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on reverse)

RECEIVED

FEB 06 2008

DIV. OF OIL, GAS & MINING